

ROCKCRETE EQUIPMENT'S

ROCKCRETER 45



Solutions for tunneling and mining



ROCKCRETE
EQUIPMENT (PTY) LTD

As part of our policy of constant product development and improvement, information and specifications contained in this document are liable to change
Last revised: Aug-2015

Overview

The Rockcreter 45 is a modern version of the original equipment suitable for any industry from mining to refractory use. It is a leading machine of its class for transporting any form of dry mix material. It is robust, requires little maintenance and is simple to operate.

Applications

- ☞ Refractory Linings
- ☞ Furnace Repairs
- ☞ Vent Walls
- ☞ Bridge Repairs
- ☞ Low Volume Guniting
- ☞ Rock and Water Features



Solutions for tunneling and mining



ROCKCRETE
EQUIPMENT (PTY) LTD

Technical Specifications

Dimensions

Length	:	900 mm
Width	:	600 mm
Height	:	900 mm
Weight	:	200 kg
Output	:	Up to 4 tons/hr

Conveying Distance

Horizontally	:	Up to 200 m
Vertically	:	Up to 100 m

Air Requirements

4 - 6 bar @ 240cfm - Electric drive
4 - 6 bar @ 450cfm - Air drive

Options

Variable speed
Trolley mount

Features

Smallest working gunite machine available
Lowest running cost
Loading height less than 1 metre



Rockcrete Equipment (PTY) LTD
361 Crocker Road
Wadeville, Germiston 1428

Phone: +27 11 865 3019
Email: information@rockcrete.co.za
www.rockcrete.co.za