

ROCKCRETE EQUIPMENT'S

ROCKCRETER 95



Solutions for tunneling and mining



**ROCKCRETE**  
EQUIPMENT (PTY) LTD

As part of our policy of constant product development and improvement, information and specifications contained in this document are liable to change  
Last revised: Aug-2015

# Overview

The Rockcrete 95 is a modern version of the original equipment suitable for any industry from mining to refractory use. It is a leading machine of its class for transporting any form of dry mix material. It is robust, requires little maintenance and is simple to operate.

# Applications

- ☞ Concrete Repairs
- ☞ Shaft & Pipe Lining
- ☞ Spill ways
- ☞ Tunnel Support
- ☞ Slope Protection
- ☞ Lateral Support
- ☞ Vent Seals
- ☞ Dams



Solutions for tunneling and mining



**ROCKCRETE**  
EQUIPMENT (PTY) LTD

# Technical Specifications

## Dimensions

Length	:	1300 mm - 1500 mm
Width	:	900 mm
Height	:	1200 mm
Weight	:	± 600 kg

## Conveying Distance

Horizontally	:	Up to 200 m
Vertically	:	Up to 100 m

## Air Requirements

4 - 6 bar @ 400 - 700cfm

## Options

Air motor drive - 10 hp  
Variable speed electric drive  
Electric drive - 4kW  
Petrol drive  
Pneumatic tyres  
Vibrating hopper  
Flameproof electric motor

## Features

Output  
Up to 8cu.mtrs/hr, dry mix



**ROCKCRETE**  
EQUIPMENT (PTY) LTD

Rockcrete Equipment (PTY) LTD  
361 Crocker Road  
Wadeville, Germiston 1428

Phone: +27 11 865 3019  
Email: [information@rockcrete.co.za](mailto:information@rockcrete.co.za)  
[www.rockcrete.co.za](http://www.rockcrete.co.za)