

ROCKCRETE EQUIPMENT'S

ROCKCRETER C70 - A



Solutions for tunneling and mining



**ROCKCRETE**  
EQUIPMENT (PTY) LTD

As part of our policy of constant product development and improvement, information and specifications contained in this document are liable to change  
Last revised: Aug-2015

# Overview

The Rockcreter C70-A is a machine that offers the advantages of both plastering as well as low output shotcrete. With a direct drive on the pump and an outstanding mixing time. This machine is highly suitable for these applications.

# Applications

- ☞ Box fronts
- ☞ Wetcrete
- ☞ Plastering
- ☞ Grouting
- ☞ Thin spray lining
- ☞ 180L pan mixer
- ☞ Electric drive / 380V / 525V
- ☞ Accelerator pump
- ☞ Various nozzles
- ☞ 50mm or 38mm outlet



Solutions for tunneling and mining



**ROCKCRETE**  
EQUIPMENT (PTY) LTD

# Technical Specifications

## Dimensions

Length	:	1400 mm
Width	:	800 mm
Height	:	1200 mm
Weight	:	±500 kg
Height	:	30m
Distance	:	60m
Pan mixer	:	180L
Aggregate size	:	8 mm

## Options

180L Pan mixer  
Electric Drive / 380V / 525V  
Accelerator pump  
Various nozzle  
50 mm or 38 mm outlet



Rockcrete Equipment (PTY) LTD  
361 Crocker Road  
Wadeville, Germiston 1428

Phone: +27 11 865 3019  
Email: [information@rockcrete.co.za](mailto:information@rockcrete.co.za)  
[www.rockcrete.co.za](http://www.rockcrete.co.za)