

# ROCKCRETE EQUIPMENT'S ROCKCRETER TSL



Solutions for tunneling and mining



**ROCKCRETE**  
EQUIPMENT (PTY) LTD

# Overview

The Rockcreter TSL is a small compact Grout Pump.

- ☞ Easy to transport
- ☞ Easy to clean and maintain
- ☞ Simple to operate
- ☞ Low maintenance

# Applications

- ☞ Skinliners
- ☞ Grout pumping
- ☞ Self leveling screeds
- ☞ Plaster Spraying



Solutions for tunneling and mining



**ROCKCRETE**  
EQUIPMENT (PTY) LTD

# Technical Specifications

## Dimensions

Length	:	900 mm
Width	:	700 mm
Height	:	1200 mm
Weight	:	±120 kg
Output	:	Up to 1cu.mtrs/hr
Aggregate size	:	Up to 4 mm

## Conveying Distance

Horizontally	:	Up to 30 m - material dependant
Vertically	:	Up to 15 m

## Air Requirements

4 - 6 bar @ 400cfm

## Options

Variable speed

## Features

Air and Electric pump  
35 Bar pumping pressure  
Small, compact & robust



**ROCKCRETE**  
EQUIPMENT (PTY) LTD

Rockcrete Equipment (PTY) LTD  
361 Crocker Road  
Wadeville, Germiston 1428

Phone: +27 11 865 3019  
Email: [information@rockcrete.co.za](mailto:information@rockcrete.co.za)  
[www.rockcrete.co.za](http://www.rockcrete.co.za)