

ROCKCRETE EQUIPMENT'S

ROCKCRETER 95



Solutions for tunneling and mining



ROCKCRETE
EQUIPMENT (PTY) LTD

As part of our policy of constant product development and improvement, information and specifications contained in this document are liable to change
Last revised: Aug-2015

Overview

The Rockcreter 95 is a modern version of the original equipment suitable for any industry from mining to refractory use. It is a leading machine of its class for transporting any form of dry mix material. It is robust, requires little maintenance and is simple to operate.

Applications

- ☞ Concrete Repairs
- ☞ Shaft & Pipe Lining
- ☞ Spill ways
- ☞ Tunnel Support
- ☞ Slope Protection
- ☞ Lateral Support
- ☞ Vent Seals
- ☞ Dams



Solutions for tunneling and mining



ROCKCRETE
EQUIPMENT (PTY) LTD

Technical Specifications

Dimensions

Length	:	1300 mm - 1500 mm
Width	:	900 mm
Height	:	1200 mm
Weight	:	± 600 kg

Conveying Distance

Horizontally	:	Up to 200 m
Vertically	:	Up to 100 m

Air Requirements

4 - 6 bar @ 400 - 700cfm

Options

Air motor drive - 10 hp
Variable speed electric drive
Electric drive - 4kW
Petrol drive
Pneumatic tyres
Vibrating hopper
Flameproof electric motor

Features

Output
Up to 8cu.mtrs/hr, dry mix



ROCKCRETE
EQUIPMENT (PTY) LTD

Rockcrete Equipment (PTY) LTD
361 Crocker Road
Wadeville, Germiston 1428

Phone: +27 11 865 3019
Email: information@rockcrete.co.za
www.rockcrete.co.za