

ROCKCRETE EQUIPMENT'S ROCKCRETER 95



Solutions for tunneling and mining



ROCKCRETE
EQUIPMENT (PTY) LTD

Overview

The Rockcreter 95 is a modern version of the original equipment suitable for industry from mining to civil use. It is a leading machine of its class for transporting any form of dry mix material. It is robust, requires little maintenance and is simple to operate.

Applications

- ☞ Concrete Repairs
- ☞ Shaft & Pipe Lining
- ☞ Spill ways
- ☞ Tunnel Support
- ☞ Slope Protection
- ☞ Lateral Support
- ☞ Vent Seals
- ☞ Dams



Solutions for tunneling and mining



ROCKCRETE
EQUIPMENT (PTY) LTD

Technical Specifications

Dimensions

Length	:	1300 mm - 1500 mm
Width	:	900 mm
Height	:	1200 mm
Weight	:	± 880 kg

Conveying Distance

Horizontally	:	Up to 90 m
Vertically	:	Up to 30 m

Air Requirements

4 - 6 bar @ 600 - 1000 cfm

Options

Air motor drive - 10 hp
Variable speed electric drive
Electric drive - 4kW
Petrol drive
Pneumatic tyres
Vibrating hopper
Flameproof electric motor

Features

Output
Up to 8cu.mtrs/hr, dry mix



Rockcrete Equipment (PTY) LTD
361 Crocker Road
Wadeville, Germiston 1428

Phone: +27 11 865 3019
Email: information@rockcrete.co.za
www.rockcrete.co.za